

公司をおいてはない こうしゃからなる

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963 A

INIOI TOUITITE



AD-A195 886 REPORT DOCUMENTATION PAGE 1b. RESTRICTIVE MARKINGS unclassified 24. SECURITY CLASSIFICATION AU 3. DISTRIBUTION/AVAILABILITY OF REPORT 'JUN 3 0 1988 Approved for public release; 2b. DECLASSIFICATION/DOWNGRA distribution unlimited. 4. PERFORMING ORGANIZATION REPORT NUMBER S) 5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TX- 88-0654 7a. NAME OF MONITORING ORGANIZATION 64 NAME OF PERFORMING ORGANIZATION 6b. OFFICE SYMBOL Research Foundation State (If applicable) AFOSR/NM University of New York

Bolling AFB, DC 20332-6448

8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR

8b. OFFICE SYMBOL (If applicable) AFOSR-87-0099

8c. ADDRESS (City. State and ZIP Code)

10. SOURCE OF FUNDING NOS.

7b. ADDRESS (City, State and ZIP Code)
AFOSR/NM

Bldg. 410

AFOSR/NM
Bldg. 410
Bolling AFB, DC 20332-6448

11. TITLE (Include Security Classification) Laser Sensing for Identification & Control of Distributed Parameter

10. SOURCE OF FUNDING NOS.

PROGRAM
ELEMENT NO.
NO.

PROJECT
NO.

PROJECT
NO.

2917
A5

Systems

12. PERSONAL AUTHOR(S)
Daniel J. Inman

Final Technical Report | 13b. TIME COVERED | 14. DATE OF REPORT (Yr., Mo., Day) | 15. PAGE COUNT | 1988, May 1 | 15. PAGE COUNT | 15. PAGE COU

16. SUPPLEMENTARY NOTATION

6c. ADDRESS (City, State and ZIP Code)

PO Box 9

Albany, NY

17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
FIELD	GROUP	SUB. GR.	

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

₦₡₭₵₮₡₮₡₮₡₮₲₼₲₺₲₦₲₺₲₺₲₺₲₺₲₺₲₺₲₢₺₡₮₡₺₲₺₲₺₧₧₼₺₢₺₳₺₭

This instrumentation award funded the purchase of a laser vibrometer system, mass computer data storage and data acquisition equipment. This equipment used in conjunction with existing vibration testing and control facilities provides a sophisticated low frequency velocity measurement system for use in identifying the coefficients in partial differential equation models of distributed mass structures. In addition, the vibrometer system provides straightforward and direct velocity feedback for such systems. These flexible structures characteristically have very low natural frequencies which cannot be detected by accelerometers. This system has and is being used to perform tests on models and sub-assemblies of large space structures for the purpose of evaluating existing identification and control strategies as well as to stimulate new research in the area of control, observers (estimators) and identification.

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT	21. ABSTRACT SECURITY CLASSIFICATION	
UNCLASSIFIED/UNLIMITED 🏖 SAME AS RPT. 🗌 DTIC USERS 🗍	unclassified	
228. NAME OF RESPONSIBLE INDIVIDUAL	22b. TELEPHONE NUMBER (Include Area Code)	22c. OFFICE SYMBOL
Major James Crowley	(202) 767-4940	WOLLOOFIED

AFOSR-TR- 88-0654

Final Scientific Report

for

Laser Sensing for Identification and Control of
Distributed Parameter Systems
(AFOSR-87-0099)

by

Daniel J. Inman

Department of Mechanical and Aerospace Engineering

State University of New York at Buffalo

Buffalo, New York 14260

Introduction Research and testing performed with the equipment purchased under this instrumentation award during the first year of operation consists of three projects. The first was an identification of various damping mechanisms in a damped beam made of quasi isotropic composite material. The second was an identification of nonlinearities in a joint used in the ABES structures. The third was in conjunction with accelerometer measurement used to verify a combined velocity and acceleration observation method. Each project is briefly described in the following:

Damping Identification Several intense experiments using the laser vibrometer were performed to measure the response of a quasi isotropic cantilevered beam with a removable tip mass excited by an impulse at various locations. This data was collected, stored, and sent to AFOSR researchers at Brown University using BITNET. The data was analyzed in reference 1 using a spline based estimation procedure, starting with a partial differential equation model of the structure. A clear advantage over modal methods based on a finite dimensional model of the same system was observed, this is described in reference 1, which is attached.

Nonlinearity In response to a query from the Air Force Weapons Lab, a single bay of the ABES structure was tested using the laser sensing system. The goal here was to identify the nonlinearities that occurred in this structure to the presence of the joints. It was found that if the joints are properly torqued, there exists a reasonable level of amplitude and

a reasonable frequency range for which the system behaves in a linear fashion. This is detailed in reference 2, which is also attached.


Combined Observation A two signal approach to observation was proposed and tested. This method uses an accelerometer and the laser system to simultaneously measure both velocity and acceleration. With this information it is illustrated that the sampling theorem can be violated and correct modal data can still be identified. This is discussed in reference 3.

Control Experiments Several control experiments are currently under way using the laser vibrometer system. However, no results are currently available. The experiments under way are 1) vibration control of a slewing beam using laser feedback and 2) structural control of a truss using velocity feedback and proofmass actuators.

References

いるかとうから 一次をようとうち しいろうけんできる ではなるなかないしてい

- 1. Banks, H.T., Wang, Y., Inman, D. J. and Cudney, H. "Parameter Identification Techniques for the Estimation of Damping in Flexible Structures," Proceedings of the 26th IEEE Conference on Decision and Control, 1987.
- 2. Banks, H.T. and Inman, D.J. "An Experimental Investigation of Nonlinearities in the Joints of the ABES Structure," attached.
- 3. Liang, Z. and Inman, D.J. "On Rank Decomposition Methods in Modal Analysis," submitted.



An Experimental Investigation of Nonlinearities in the Joints of the ABES Structure

Submitted to Capt. Hunt AFWL/ARBH (HEL Structural Analysis Br.) Kirtland AFB, NM 87117-6008

by H.T. Banks
D.J. Inman
Center for Control Sciences
Brown University
Providence, RI 02912


Sponsored by AFOSR/NM Contract Number AFOSR-F49620-86-C-0111

An Experimental Investigation of the Nonlinearities in the Joints of the ABES Structure

<u>Introduction</u> A single bay of the ABES test structure was experimentally investigated for the purpose of clarifying nonlinearities thought to be present in the joints. The joints of the ABES structure are a threaded male/female configuration with a common nut used to lock the structure's threaded members into the joints. Joints of this type are typical to most large space structures and are generally thought to be a source of non linearity, making linear system identification of such structures impossible.

In most cases it is desirable to be able to use linear mathematical models for both identification and control of a structure. Hence the joints of the ABES structure are investigated experimentally for nonlinear behavior in hopes of finding and classifying regions of linear behavior.

<u>Experimental Proceedure</u> In order to isolate the effects of the joint, a single joint with to member was configured for testing. This arrangement was suspended as indicated in figure 1.



Experimental Configuration for Joint Tests

An impact hammer (Kistler model number 9724A500 with charge amplifier model number 5004) was used as input to the test structure. Two accelerometers (Kistler model number 8628A5 with charge amplifier model number 5004) were used to measure the resulting acceleration. The output signals where calibrated against and monitored by noncontacting velocity measurements taken by a DANTEC Laser Vibrometer System (consisting of a Hughes Laser model number 3225H/PC, a DANTEC tracker model number 9055 No 214 and a DANTEC frequency shifter model number 9055 No 012). In all reported data, the laser velocity measurements agreed with the accelerometer measurements. A GENRAD 2515 sixteen channel analyzer was used to provide the data and calculate the appropriate transfer functions.

Several combinations of input output transfer function measurements were made. The effect of impulse amplitude and bolt torque (the joint tightness) on the resulting non linearity of the frequency response was examined.

All experiments were performed in the Mechanical System Laboratory at SUNYAB, in Buffalo, New York.

Nonlinear Behavior The measurement of and parameter identification of structures which exhibit nonlinear behavior is complicated by several effects. First, a fundamental assumption in the input/output measurement of linear structures is that the transfer function between any two points on the structure is the same regardless of which point is chosen as the input and which point is chosen as the output. This assumption is used extensively in standard modal testing for linear structures to reduce the number of calculations needed in constructing multiple degree of freedom models of large structures.

A second nonlinear phenomenon that leads to severe error in linear measurement and identification is that of secondary resonance. The common approach to structural identification in linear systems is to measure the frequency response of the test structure. The peaks that show up in the magnitude versus frequency plots are interpreted as resulting from the resonance phenomena. Hence each peak is assumed to occur at a natural frequency of the structure and the number of peaks then indicates the number of degrees of freedom one should use in a lumped mass multiple degree of freedom model of the test structure. In fact, a single degree of freedom linear oscillator equation is curve fit to each peak. In

መዘመት መከመከተው የተለከተው አስርት እና እንዲያስፈርር እንዲያስፈርር እንዲያስፈርር እንዲያስፈርር እንዲያስፈርር እና ለዲያስፈርር እና እንዲያስፈርር እና እንዲያስፈርር እና

Receeses

this way, the parameter estimation yields a modal damping ratio and an undamped natural frequency for each peak assumed to be a single degree of freedom model. In contrast, the force response of a <u>single</u> degree of freedom nonlinear system produces an amplitude versus frequency plot with <u>multiple</u> frequencies. This inherently nonlinear characteristic is referred to as secondary resonance - either superharmonic of subharmonic depending on the frequency range of interest. These secondary resonances cause linear parameter estimation methods to predict incorrect parameters as well as a false model order.

To illustrate the existence of subharmonics and superharmonics in the testing of structures consider a simple single degree of freedom model of the structure with mild nonlinearity in its stiffness term. A well studied equation is Duffings' equation, given by

SECULAR PROPERTY PROPERTY PROPERTY PROPERTY

14.53.53.53

77.77

$$\ddot{X}(t) + 2\epsilon \mu \dot{X}(t) + \omega_0^2 X(t) + \epsilon \alpha X^3(t) = F_0 \cos \alpha t \qquad (1)$$

Here X(t) represents the displacement, X(t) the velocity and X(t) the acceleration. The quantities ϵ , μ and α are constrants, μ indicating the damping, α the strength of the nonlinear stiffness and ϵ a scaling factor. The driving frequency is Ω , the magnitude of the forcing input is F_0 and ω_0 represents the linearized systems undamped natural frequency.

The solution of equation (1) can be obtained, using perturbation methods, for a range of driving frequencies. First, consider the steady state response of the system of equation (1) to input driving frequencies near three times the linear undamped natural frequency. This is represented by $\Omega = 3\omega_0 + \epsilon \sigma$, where σ is a small parameter used to define the frequency range of interest.

The response of (1) can be shown to be of the form

$$X(t) = a(t) \cos\left(\frac{\Omega}{3}t - \frac{1}{3}\gamma(t)\right) - \frac{F_0}{\Omega^2 - \omega_0^2} \cos \Omega t + O(\epsilon)$$
 (2)

Here, $0(\epsilon)$ represents all those terms of order ϵ and higher, and the functions a(t) and $\gamma(t)$ vary slowly with time. The frequency content of X(t) reveals oscillation at two frequencies rather than one as in the linear case. The appearance of the second frequency of oscillation is called a subharmonic oscillation

because it occrus at 1/3 of the driving frequency. A standard modal analysis of such a system would imply a two degree of freedom system with natural frequencies of ω_0 and $\omega_0/3$, rather than a nonlinear single degree of freedom system.

Likewise, examination of the solution of the steady state response of (1) around the driving frequency $3\Omega = \omega_0 + \epsilon \sigma$ yields a solution of the form

$$X(t) = a(t) \cos \left[3\Omega t + \gamma(t)\right] + \frac{F_0}{\Omega^2 \cdot \omega_0^2} \cos \Omega t + O(\epsilon)$$
 (3)

In this case a superharmonic appears in the solution. An identification of the frequency content of this signal would contain the natural frequency and the superharmonic frequency and again yield an erroneous linear result.

The following experimental results represent a first attempt to clarify the linear range with both frequency and amplitude of excitation for the joints in the ABES structure.

Results As mentioned above, one clear sign of the presence of nonlinearities is the violation of the condition for linear transfer function that the frequency content of the transfer function with point A as input and point B is output should be the same as the transfer function with point B as input and point A is output. The top plot of Figure 2 illustrates the magnitude of the transfer function with A as input and B as output. The top plot of Figure 3 is the magnitude of the transfer function with B as input and A as output. The frequency content in the lower frequency range of 0 to 900 HZ appear the same. However, in the frequency range above 1000 HZ the two spectra are quite different indicating that the joint is nonlinear (joint torqued to 2 ft. lbs.) in the higher range with excitation frequencies.

The next set of tests examine the effect of input amplitude on the joint transfer function near a primary resonance (about 255 HZ) with the joint torqued to 2 ft. lbs. The amplitude of the impulse to the joint increases starting with figure 4 and moving to figure 6. Note that at some (not measured) level of input amplitude super and sub harmonics occur. This is clearest in figure 6. The existence of super and sub harmonics is of course a clear indicator of nonlinear behavior.

Figure 7 illustrates the same frequence range and fundamental harmonic as figures 4, 5 and 6. However in this case, the bolts in the joints are only tightened to 1 ft. lb. of toque instead of 2 ft. lb. Again, this configuration produces a variety of super and sub harmonics indicating nonlinear behavior.

The third set of experiments tests the joint linearity for high levels of joint torque (35 ft. lbs.). Figure 8 illustrates a low amplitude hammer hit and figure 9 illustrates a high amplitute hammer hit. The resonant frequencies for the high torque joint remain the same indicating the for high torques the ABES structure behaves in a linear fashion.

Summary The joints for the ABES structure are definitely capable of illustrating nonlinear behavior. The nonlinearities in the joint are a function of three factors 1) input amplitude 2) torque or joint tightness and 3) frequency range. If it is desired to model the ABES structure with a linear model it is necessary to use evenly torqued joints of about 35 ft. lbs. and to realize that at some level '(high amplitude) of disturbance excitation the linear model will fail for high frequency excitations.

It is the conclusion of this study that the ABES structure can be effectively modelled with a linear model for lower amplitude disturbance provided all the joints are properly torqued.





Figure 3: Frequency Response with input at point B and output measured at point A

output measured at point 8



PORTOR OF THE PROPERTY OF THE

Figure 4: Frequency Response with low amplitude input and joint torqued to 2 ft. lbs.




Figure 5: Frequency Response with medium amplitude input and joint torqued to 2 ft. lbs.





Figure 6: Frequency Response with heavy amplitude input and joint torqued to 2 ft. lbs. Sub and super harmonics appear.

RECEIVED BESSELLE MASSECCE IN



大田田田 日本

Figure 7: Frequency Response with medium amplitude input and joint torqued to 1 ft. lb. Sub and super harmonics appear.




Figure 8: Frequency Response with low amplitude input and joint torqued to 35 ft. lbs. No secondary resonances appear.

DOOT SSESSEE DOODS DOODS PRODUCT BESEES BESEES BESEES BOODS BESEES BOOKES SOOS




Figure 9: Frequency Response with high amplitude input and joint torqued to 35 ft. lbs. No secondary resonances appear.

PARAMETER IDENTIFICATION TECHNIQUES FOR THE ESTIMATION OF DAMPING IN FLEXIBLE STRUCTURE EXPERIMENTS

H.T. Banks and Y. Wang Center for Control Sciences Division of Applied Mathematics Brown University Providence, RI 02912

Abstract

We report on our use of spline based inverse procedures to estimate damping coefficients in distributed parameter systems for flexible structures. Damping models involving viscous (air) damping and Kelvin-Voigt damping in an Euler-Bernoulli framework are used to analyze data from vibration experiments with composite material beams.

I. Introduction

In this presentation we report on continuing efforts that we have pursued for the past year. These efforts involve a combination of experimental investigations with the simultaneous development of the mathematical and computational aspects of a theoretical methodology to support the experiments.

Our long term goals include the understanding of damping mechanisms in complex distributed structures constructed from composite materials. Our quest has obvious motivation from and potential consequences for the design of control (active and passive) systems for large flexible space atructures.

The initial efforts on which we report here entail the testing and development of spline based approximation techniques for inverse problems arising in attempts to model and quantify damping in composite material beams. Substantial previous mathematical efforts along with numerical tests on simulated data can be found in the literature (see [BCR], [BR] for a sample of some of these results and references to other work).

We briefly outline the underlying mathematical ideas, describe the experimental equipment employed, and then report on two representative experiments and our findings using our techniques with the data from these experiments.

II. Mathematical Foundations

The basic mathematical model that we have considered in connection with the efforts on which we report in this note consists of the equations for a cantilevered Euler-Bernoulli equation with tip mass, damping, and an applied transverse force. Specifically we take as our model the system for transverse vibrations of a long slender (length 2) cantilevered beam:

$$\rho \frac{\partial^{2} u}{\partial t^{2}} + EI \frac{\partial^{4} u}{\partial x^{4}} + c_{D}I \frac{\partial^{5} u}{\partial x^{4} \partial t} + \gamma \frac{\partial u}{\partial t}$$

$$= f(t, x_{p}, \tau), \quad 0 < x < t, t > 0,$$
(2.1)

$$u(t,0) = \frac{\partial u}{\partial x}(t,0) = 0, t > 0$$
 (2.2)

EI
$$\frac{\partial^2 u}{\partial x^2}$$
 $(t,t) + c_D I \frac{\partial^2 u}{\partial x^2 \partial t} (t,t) = 0, t > 0,$ (2.3)

EI
$$\frac{\partial^2 u}{\partial x^2}$$
 (t, 2) + c_DI $\frac{\partial^4 u}{\partial x^2 \partial t}$ (t, 2) = m $\frac{\partial^2 u}{\partial t^2}$ (t, 2), t > 0, (2.4)

$$u(0,x) = \phi(x), \frac{\partial u}{\partial t}(0,x) = \psi(x), 0 < x < t.$$
 (2.5)

Here ρ is the linear mass density, m is the tip mass, c_DI and γ are damping coefficients for Kelvin-Voigt and viscous (air) damping, respectively, and f is a parameter dependent (x_p for the point of impact, τ for the duration) term representing a transverse force such as that obtained with a force hammer. The functions ϕ and ψ represent

D.J. Inman and H. Cudney, Jr.
Mechanical Systems Laboratory
Dept of Mechanical & Aerospace Engineering
S.U.N.Y. - Buffalo
Buffalo, NY 14260

given initial displacement and velocity of the beam.

We assume that we are given observations - in this case, of tip acceleration - from which we wish to estimate unknown parameters. In general these include the stiffness coefficient EI as well as the damping parameters c_DI , γ and the input parameter τ . Denoting this collection of unknown parameters by $q = (EI, c_DI, \gamma, \tau)$, we may formulate this inverse problem as the least-squares estimation problem of minimizing the functional

$$J(q) = \sum_{i} \left| \frac{\partial^{2}_{1i}}{\partial t^{2}} (t_{i}, t_{i}; q) - a(t_{i}) \right|^{2}$$
 (2.6)

over an admissible class Q of parameter values. In this fit-to-data criterion $\{a(t_i)\}$ are the observations (data) for the tip acceleration (at x=2) of the beam.

This estimation problem cannot, of course, be solved analytically; however, one can employ iterative optimization schemes coupled with an approximation method for the infinite dimensional system (2.1) - (2.5). For the efforts discussed here, we approximated the system via Galerkin procedures using cubic B-spline elements as explained in [BGRW]. This results in an approximate solution u^N which satisfies a readily-solved finite dimensional system approximating (2.1) - (2.5). We use this in the criterion (2.6) in place of u, thereby obtaining a family of approximating estimation problems involving minimization over Q of

$$J^{N}(q) = \sum_{i} \left[\frac{\partial^{2} u^{N}}{\partial t^{2}} (t_{i} \cdot \theta; q) - a(t_{i}) \right]^{2}. \tag{2.7}$$

Solving these, we obtain a sequence of estimates $\{\overline{q}^k\}$ for best-fit parameters in the original estimation problem. A theory for convergence of these estimates can be obtained (see e.g. [BCR][BR][BGRW] for details), but we shall not discuss this aspect of the computational techniques have since the focus of this report is the use of the techniques in studying damping mechanisms in composite material structures.

We have assumed here that the observations are taken with tip accelerometers since that is precisely the case for the experiments discussed below. However, we could equally well assume velocity observations are taken; indeed, we have also used these methods with experiments in which a laser vibrometer was used to obtain velocity measurements. These and related findings will be detailed in a separate manuscript currently in preparation.

Furthermore, in our findings discussed here, we have concentrated on attempts to characterize the damping in terms of Kelvin-Voigt and/or viscous (air) damping. There is considerable evidence to suggest that damping mechanisms in composite materials are significantly more complex than the ones described by a combination of viscous and Kelvin-Voigt damping. Indeed, current conjectures include models that involve hysteretic or hereditary (time and/or space) effects. Recent theoretical results [BI] provide a convenient mathematical framework for treating inverse problems for such models; we are currently using the associated computational techniques to investigate the possibility of describing experimental data in terms of models with hysteretic damping.

III. Experimental Procedures

To test the above described estimation procedures and initiate our damping mechanism studies a series of experiments were carried out at the Mechanical Systems Laboratory located at SUNYAB. Cantilevered composite beams with a removable tip mass were used as the test structures. Each beam consisted of a one meter long piece

of pultruded quasi-isotropic composite used by DOD and NASA in studies of potential materials for the proposed Space Station [WM]. The beams rectangular cross sections measured on the order of 6 mm by 100 mm provide a lower cost, higher specific strength alternative to extruded aluminum alloy structures.

The experiments consisted of recording the vibrations after a free release from an initial bent configuration or after an impulse was imparted to a resting beam using a Kistler Instrument Corporation force hammer, instrumented with a load cell to provde measurements of the input force magnitude. Kistler accelerometers (Model 8628 piezo beam) were attached to the free tip of the beams. The data acquisition was performed with a GENRAD 2515 analyzer. Time response data was collected and sent via BITNET to Brown University for use in the above described algorithms. A copy of data was also used as input to a standard modal analysis package [SDRC] residing in the GENRAD as well as to an Eigensystem Realization Algorithm residing in a VAX785.

The modal analysis results were then interpreted in terms of the partial differential equation model given by equations (2.1) - (2.5) above. The measured natural frequencies were used as data in a simple average to equations (2.1) - (2.5) above. produce initial estimates for E. The damping parameters were calculated by using an appropriate number of modal damping ratios. This procedure, detailed below, represents a relatively standard engineering approach to estimating the parameters in a vibration test of a distributed mass structure. These parameters were then used in a numerical simulation of the response and compared with the response predicted by the spline based methods presented here. Note, that this modal analysis procedure, however, requires that closed form solutions of the frequency equations be available. This is a shortcoming not shared with the spline based procedures.


IV. Results

We present our findings and some preliminary conclusions on two representative examples. Further discussions and results from other experiments will be given in a paper currently in preparation.

Example FRI.TM86

In this experiment we used a composite material beam of length 1m, width .102m, thickness .006m with collocated tip mass and accelerometer. The linear mass density was $\rho = .021546$ slug/ft and the tip mass was m = .057182 slug. The beam was cantilevered at x = 0; it was displaced from equilibrium (with this initial displacement measured for use as initial data). At time t = 0, the beam was released and the free oscillations were then observed; 2048 time observations at $\Delta t = .007813$ seconds intervals were recorded. Thus time domain data over the period [0,16] seconds were available. Upon taking the FFT of this data, we found that only one mode was observable in the oscillations; this was at 1.875 Hz. For our model we used (2.1) - (2.5) with EI calculated with experimental modal information to be 126,7083 lb ft³.


In our initial parameter estimation efforts, we tried to fit the data over [0,2] seconds with a model featuring only viscous damping (i.e. $c_D I = 0$). With our spline inverse procedures we found 7 = .0315 slug/(ft sec) and obtained the model response depicted in Figure 1.



GAMMA=0.0315

Figure 1

We also used modal techniques to try to recover a value for γ in (2.1) - (2.5). That is, we used standard modal techniques to estimate ξ , the % critical damping on the mode excited, as $\xi = .269$. Since one can readily argue that $\gamma = 2\xi^{\sqrt{EI\rho}/R^2}$, this approach yields the calculated value $\gamma_{\rm cal} = .0826$. Using this value in the model, one does not obtain a very good fit to the data. This is shown in Figure 2.



GAMMA=0.0826

Figure 2

However, these initial findings are somewhat misleading. Even the spline inverse procedures don't yield a good fit of the model (2.1) - (2.5) with only viscous damping if we consider the time domain response over a long period of time. The best results we could obtain are depicted in Figure 3 where we note we also optimize over m (this was done to adjust the m value since the "tip mass" was actually a small tip body centered at x = .963m or 3.7cm from the tip end). The "optimal" value of γ was $\bar{y} = .015174.$




Figure 3

If, however, we hypothesize that the damping is Kelvin-Voigt only (e.g. $\gamma=0$, c_Dl nonzero), our procedures give a much better fit to the data. We obtained c_Dl = .1338 with the time response and corresponding FFT's shown in Figure 4.




Figure 4

Several important features of our findings here are worth noting. (i) This is a "I mode - I damping parameter" model fit in either case. Our findings reveal that such a situation does not automatically lead to success. If the wrong damping model is hypothesized, even good quantiative methods won't yield satisfactory results. (ii) It is important to use the data over a long time interval whether we are using FFT data or time domain data.

Example IR3.1NTM1186

Again a composite material beam of length 1 m was used. The width of this beam was .104m, the thickness .00524m. No tip mass was attached but as usual a tip accelerometer was available for data collection. We observed the response of the beam after it was hit with an impulse hammer (soft tip) at x_p = .7m. Three dominant modes were observed in the response, at 3.7Hz, 23.3Hz and 61 Hz, respectively. The beam parameters were $\rho=.02144$ slug/ft and EI = 107.103 lb·ft² (calculated approximately using modal information). We first optimized on EI to obtain a frequency match between our model and the FFT A value of EI = 109.2367 lb-ft2 was obtained. Modeling of the input (f in equation (2.1)) is, in general, nontrivial since it is not strictly an impulse. used the input signal (from a transducer in the hammer) to model the shape, height, and duration of the input to the beam. We then used our spline inverse procedures to estimate the two damping parameters γ and $c_D I$, obtaining values $\overline{\gamma}$ = .004235 slug/(ft sec) and $\overline{c_p I}$ = .005385 slug ft³/sec. The corresponding time domain response for the model and the FFT are shown in Figures 5 and 6. As is obvious, we obtained a very good fit to the data (with 3 modes excited) using only two damping mechanisms in (2.1)




Figure 5

SSS-200

RES. OF THE BERM HITHOUT TIP MASS TO AN IMPACT(32Hz)




Figure 6

If we try to estimate γ and c_DI using modal techniques (via % critical damping and principles relating ξ to γ and c_DI similar to that noted in the discussion of the previous experiment), we obtain values $\gamma_{cal} = .2982$ slug/(ft sec) and $c_DI_{cal} = .4511$ slug ft³/sec. If we use these in the model equations (2.1) - (2.5), we find that the response is damped out much too quickly and does not resemble the experimental data.

A final comment on our findings in this example has important implications for use of modal methods in attempts to understand damping mechanisms in distributed parameter structures. While we found that the viscous damping (7) was extremely important in the overall modeling of the low frequency mode and the Kelvin-Voigt damping (c_DI) was most important in modeling correctly the two high frequency modes, the damping does not decouple on the modes. We belive this poses serious difficulties for any attempts to understand damping mechanisms using only modal techniques.

V. Acknowledgements

This research was supported in part under grants NASA NAG-1-517 (H.T.B. and Y.W.), AFOSR-84-0398 (H.T.B.), AFOSR-F49620-86-C-0111 (H.T.B., Y.W., D.J.I.), AFOSR-85-0220 (D.J.I.), NSF-MSM-8351807 (D.J.I.), NASA Training Grant NGT 33183802 (H.C.) and DOD Equipment Grant AFOSR-85-0119 (D.J.I.).

References

- [BCR] Banks, H.T., Crowley, J.M., and Rosen, I.G., Methods for the identification of material parameters in distributed models for flexible structures, Mat. Aplic. Comp. 5 (1986), 139-168.
- [BGRW] Banks, H.T., Gates, S.S., Rosen, I.G., and Wang, Y.,
 The identification of a distributed parameter
 model for a flexible structure, ICASE Rep. No.
 86-71, October, 1986, NASA Langley Res. Ctr.,
 Hampton; SIAM J. Control Opt., to appear.

- [BI] Banks, H.T., and Ito, K., A theoretical framework for convergence and continuous dependence of estimates in inverse problems for distributed parameter systems, LCDS/CCS Rep. 87-20, March, 1987, Brown University; Applied Math. Lett. Vol 0, No 1, June, (1987) 31-35.
- [BR] Banks, H.T., and Rosen, I.G., Computational methods for the identification of spatially varying stiffness and damping in beams, Control-Theory and Adv. Tech. 3 (1987), 1-32.
- [SDRC] SDRC 1985 <u>User Manual for Modal Analysis 9.0.</u> General Electric CAE International, Milford, Ohio.
- [WM] Wilson, M.L. and Miserentino, R., 1986 "Pultrusion Process Development for Long Space Boom Models", Proceedings of the 41st Annual Conference of the Reinforced Plastics/Composites Institute, Society of the Plastics Industry, Paper No. 6-D.

Kerceix

F333333

የተዘታወሰው የመውሰው የተዘታ የተመሰው ያለው ለተከታ መስከር እና ለተመሰው የተመሰው የተመ

END 1)ATE FILMED 9- F8 DTIC